

1
4TH FLOOR DEMO PLAN

SCALE: 1/8" = 1'-0"


- DEMO NOTES:**
1. ALL EXISTING WINDOWS TO BE REMOVED SO THEY CAN BE REPLACED EXCEPT ONLY GLAZING TO BE REMOVED ON THE SOUTH FACING WINDOWS AT THE LANDINGS OF THE STAIRWAY OF THE SOUTH TOWER (AKA "THE FREEZER TOWER")
 2. ALL EXISTING PUMPING VENT STACKS, INTERIOR PIPING AND HOODS, AIR DUCTS, CHUTES AND SHAFTS, AIR STACKS, AIR HOODS, AND/OR EXHAUST HOODS, TO BE REMOVED. CONTRACTOR MUST FIELD VERIFY THAT ALL HAVE BEEN ACCOUNTED FOR ON PLANS.
 3. CONTRACTOR TO FIELD VERIFY ALL NEIGHBORING NOTIFY ARCHITECT OF ANY MAJOR DISCREPANCIES.
 4. NOTE THAT THE RAAMP BUILDING HAS SHORTER FLOORS, SO THERE ARE SEVERAL FEET OF RAAMP BUILDING IN THE SLABS, THE BASEMENT AND FIRST FLOOR LINE-UP AND THE FIFTH FLOOR OF THE RAAMP BUILDING LINES UP WITH THE FOURTH FLOOR OF THE MAIN BUILDING.
 5. NOTE THAT THERE ARE SOME CORNERED COLUMNS THAT NEED TO BE REMOVED SO CORNERED COLUMNS WITH STRUCTURALLY SOUND COLUMN ON THE FOURTH FLOOR REFER TO STRUCTURAL SET.

EXISTING WALLS TO REMAIN AS IS
 TO BE DEMOLISHED OR REMOVED

A-140

REVISIONS: PRELIMINARY, NOT FOR CONSTRUCTION

223 North College Avenue
 Fort Collins, CO 80524
 970.416.7431
 1.888.416.7431
 Fax: 970.416.7435
 Email: Mokal@architex.com
 http://www.Architex.com



PUEBLO ICEHOUSE
 303 SOUTH SANTA FE
 PUEBLO, COLORADO
 PROJECT NUMBER:

